	Application No.	Applicant(s)
Notice of Allowability	10/606,617 Examiner	KING, JOSEPH Art Unit
,		
	Carmelo Oliva	2831
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-12</u> .		
3. The drawings filed on <u>26 June 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal Page 6. ☐ Interview Summary	• • • • • • • • • • • • • • • • • • • •
	Paper No./Mail Date	e
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1003	8), 7. L Examiner's Amendm	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9. Other	

Application/Control Number: 10/606,617

Art Unit: 2831

NOTICE OF ALLOWABILITY

Reasons for Allowance

- 1. Claims 1-12 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

Claims 1-8 are allowable because the prior art alone or in combination does not teach or fairly suggest an apparatus comprising a shield with a gasket on its periphery and a panel portion, wherein the panel portion has in its interior portion a spring receptacle and a snap, a spring extending out of the spring receptacle for pressing against a second side of the shield, and the snap having a hook that catches the first side of the shield, taken in combination with the other claimed features.

Claims 9-12 are allowable because the prior art alone or in combination does not teach or fairly suggest an enclosure comprising a shield with a gasket on its periphery and a panel portion, wherein the panel portion has a means for applying an adaptable force against a second side of the shield, and means for attaching the panel to the shield capable of applying a force to a first side of the shield to offset the force applied by the panel to the second side of the shield, taken in combination with the other claimed features.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/606,617 Page 3

Art Unit: 2831

Closing

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lilienthal, III et al., Stark et al., Moore, Barabash, and Nurmi show EMI shielding apparatus having a spring between the shield and a panel.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carmelo Oliva whose telephone number is (571)272-1982. The examiner can normally be reached flexible hours on Monday through Friday with every other Wednesday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard, can be reached at (571)272-2800 ext. 31. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

DEAN A. REICHARD

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800